

From Essential to Exceptional

YOU'RE THE

ROCKSTARS OF PREVENTION

BEST PRACTICES TO AVOID DISEASE OUTBREAKS

1

Use mixing stations

2

Correct contact time

3

Never mix disinfectants

4

Avoid high pressure!

5

Remember all sides



TIPS TO PREVENT DISEASE SPREAD

- ☐ Prevent cross-contamination
- ☐ Monitor for signs of illness
- ☐ Report concerns ASAP
- ☐ Be a role model for others
- ☐ Use proven disinfectants
- ☐ Don't skip contact time!
- ☐ Always scoop first!
- ☐ Remember to wash your hands!

SANITATION AND DISINFECTION PROTOCOL

1. Temporarily **relocate the animal** to another area
2. **Remove all items** such as bedding, bowls, toys, litter boxes
3. Manually **remove organic matter** such as poop, litter, food, etc
4. Use **low-flow** to loosen or remove remaining organic matter
5. **Apply cleaning/disinfectant** solution such as Rescue to the area
6. **Allow disinfectant to sit** for required contact time
7. **Rinse or wipe** down any remaining disinfectant
8. Allow the area to **dry** thoroughly before replacing items
9. **Replace with clean bedding**, toys, food/water bowls, litter boxes
10. **Return animal** to its original environment

www.RescueDisinfectants.com



Rescue® is a member of the Virox family of brands.

You must read and follow the instructions on the label for our product and use the product for the particular applications specified on the product label.
AHP® and Design and Accelerated Hydrogen Peroxide® and Design are trademarks of Diversey, Inc.